
Corner Pieces



DESCRIPTION

The corner pieces stabilize the pallets and provide protection during transport, storage and handling. They provide: corner protection, stacking resistance, reinforcement of boxes and other packaging units and protection of edges against damage caused by strapping. For the BIO corner pieces (100% cardboard) the minimum leg size is 30 mm up to 100 mm, with the thickness being between 2 and 7 mm. For the HS corner pieces (laminated, special for moisture) the minimum leg size is also 30 mm up to 100 mm, with a thickness between 1 and 8 mm. The use of corner pieces allows optimising the transport space with double stacking, it strengthens the product and saves on packaging costs, being a product respectful of the environment and 100% recyclable.

SECTOR

PACKAGING
FOOD
AGRICULTURE
INDUSTRIAL
LOGISTICS


USE


CORNER PIECES
LOAD STABILITY
PROTECTION
STACKING RESISTANCE

CHARACTERISTICS

KRAFT BROWN
KRAFT WHITE
HS LAMINATED







CERTIFICATES

ISO 9001

ISO 14001

Voluntary Agreement CO2 Reduction

CO2 emissions compensation certificate-CO2 free company 2022

EMAS - Verified Environmental Management ES-CAT-000478

ISO 14064-1 - Carbon Footprint